

Facile synthesis of isoniazid derivatives: 1-(2-(1-Phenyl-3-(substituted aryl/hetaryl)-1H-pyrazol-4-yl)-5-(pyridin-4-yl)-1,3,4-oxadiazol-3(2H)-yl)ethanones.

Faryal Chaudhry^{1,2*}, Munawar Ali Munawar^{2*}, Misbahul Ain Khan^{2,3}

¹Department of Chemistry, Kinnaird College for Women Lahore, 93-Jail Road, Lahore-54000, Pakistan; e-mail: faryal.chaudhry@kinnaird.edu.pk, frylchaudhry@yahoo.com

²Institute of the Chemistry, Quaid-e-Azam Campus, University of the Punjab, Lahore-54590, Pakistan; e-mail: mamunawar.chem@pu.edu.pk

³Department of Chemistry, the Islamia University of Bahawalpur, Bahawalpur-63100, Pakistan

***Corresponding Author:**

Dr. Faryal Chaudhry,

Department of Chemistry, Kinnaird College for Women Lahore, 93-Jail Road, Lahore-54000, Pakistan; e-mail: faryal.chaudhry@kinnaird.edu.pk, frylchaudhry@yahoo.com

Prof. Dr. Munawar Ali Munawar,

Institute of the Chemistry, Quaid-e-Azam Campus, University of the Punjab, Lahore-54590, Pakistan; e-mail: mamunawar.chem@pu.edu.pk







